



CLAIMS SECTION

Claim 1 cancelled

Claim 2 cancelled

Claim 3.[currently amended] A ranging and warning device of Claim [2] 60 wherein said means for emitting a beam of directed energy waves [may be] is pulsed on and off whereby said means for varying uses said means for emitting to form a pattern of points of reflected pulsed directed energy.

Claim 4 {original} A ranging and warning device of Claim 3 further comprising a means for computing whereby said means for computing stores templates of data generated by a particular object that reflects pulsed directed energy, said means of computing compares said stored templates of data to data recorded by said means for recording.

Claim 5[original] A ranging and warning device of Claim 4 wherein said means for emitting a beam of directed energy waves is laser light.

Claim 6 [original]A ranging and warning device of Claim 5 wherein said means for varying further includes means for varying direction of said pulsed laser light in a vertical direction and means for varying direction of said pulsed laser light in a horizontal direction.

Claim 7[original] A ranging and warning device of Claim 6 wherein said pattern of reflected points, if connected, form a sine wave.

Claim 8 [currently amended] A ranging and warning device of Claim 7 wherein said means for computing controls said means for varying whereby said means for computing [may use] uses said means for varying to change said means for emitting so that a amplitude and a frequency of said sine wave pattern of connected points [may be changed] is changeable thereby permitting adjustments in the resolution in said sine wave pattern of connected points.

Claim 9 [currently amended] A ranging and warning device of Claim 8 further comprising an output display controlled by said means for computing whereby a user[may] is able to observe said output display.

Claim 10 [original] A ranging and warning device of Claim 9 wherein said output display further includes a sound generator for generating a plurality of sounds.

Claim 11[original] A ranging and warning device of Claim 10 wherein said output display includes a plurality of distinct sounds whereby said means for computing causes said output display to make a particular distinct sound whenever said stored template of data matches recorded data.

Claim 12 [original]A ranging and warning device of Claim 11 wherein said means for computing uses said means for varying to change amplitude and frequency of said sine wave patterns wherein said stored template of data matches recorded data whereby said ranging and warning device focuses said beam of directed energy waves on said particular object.

Claim 13 [original]A ranging and warning device of Claim 4 wherein said means for emitting a beam of directed energy waves is radio waves of a predetermined frequency.

Claim 14 [original]A ranging and warning device of Claim 13 wherein said means for varying further includes a means for varying direction of said pulsed radio waves in a vertical direction and means for varying direction of said pulsed radio waves in a horizontal direction.

Claim 15[original] A ranging and warning device of Claim 14 wherein said pattern of reflected points, if connected, form a sine wave.

Claim 16 [original] A ranging and warning device of Claim 15 wherein said means for computing controls said means for varying whereby said means for computing may use said means for varying to change said means for emitting so that an amplitude and a frequency of said sine wave pattern of connected points may be changed thereby permitting adjustments in the resolution in said sine wave pattern of connected points.

Claim 17 [original] A ranging and warning device of Claim 16 further comprising an output display controlled by said means for computing whereby a user may observe said output display.

Claim 18 [original] A ranging and warning device of Claim 17 wherein said output display further includes a sound generator for generating a plurality of sounds.

Claim 19 [original] A ranging and warning device of Claim 18 wherein said output display includes a plurality of distinct sounds whereby said means for computing causes said output display to make a particular distinct sound whenever said stored template of data matches recorded data.

Claim 20 [original] A ranging and warning device of Claim 19 wherein said means for computing uses said means for varying to change amplitude and frequency of said sine wave patterns wherein said stored template of data matches recorded data whereby said ranging and warning device focuses said beam of directed energy waves on said particular object.

Claim 21 [original] A ranging and warning device of Claim 4 wherein said means for emitting a beam of directed energy waves is sound waves of a predetermined frequency

Claim 22 [original] A ranging and warning device of Claim 21 wherein said means for varying further includes a means for varying direction of said pulsed sound waves in a vertical direction and means for varying direction of said pulsed sound waves in a horizontal direction

Claim 23 [original] A ranging and warning device of Claim 22 wherein said pattern of reflected points, if connected, form a sine wave.

Claim 24 [currently amended] A ranging and warning device of Claim 23 wherein said means for computing controls said means for varying whereby said means for computing [may] will use said means for varying to change said means for emitting so that a amplitude and a frequency of said sine wave pattern of connected points [may be changed] is changeable thereby permitting adjustments in the resolution in said sine wave pattern of connected points.

Claim 25 [currently amended] A ranging and warning device of Claim 24 further comprising an output display controlled by said means for computing whereby a user [may] is able to observe said output display.

Claim 26 [original] A ranging and warning device of Claim 25 wherein said output display further includes a means for varying direction of said pulsed laser light in a vertical direction and means for varying direction of said pulsed laser light in a horizontal direction

Claim 27 [original] A ranging and warning device of Claim 26 wherein said output display includes a plurality of distinct sounds whereby said means for computing causes said output display to make a particular distinct sound whenever said stored template of data matches recorded data.

Claim 28. [original] A ranging and warning device of Claim 27 wherein said means for computing uses said means for varying to change amplitude and **frequency** of said sine wave patterns wherein said stored template of data matches recorded data whereby said ranging and warning device focuses said beam of directed energy waves on said particular object.

Claim 29 cancelled.

Claim 30 cancelled

Claim 31 cancelled

Claim 32 cancelled.

Claim 33 [currently amended] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim [32[61 wherein said step of emitting a beam of directed energy waves is emitting laser light.

Claim 34 [original]] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 33 wherein said step of varying the direction includes varying direction of said laser light on a vertical plane and varying direction of said laser light on a horizontal plane.

Claim 35[original]] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 34 wherein said set of data points of reflected laser light if connected form a sine wave.

Claim 36 [currently amended] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 35 which includes a step of providing a controlling computer to control said step of varying the direction so that an amplitude and frequency of said sine wave pattern of reflected data points [may] can be changed thereby permitting adjustment in the resolution of said pattern of reflected data points

Claim 37 [original] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 36 wherein said step of providing a controlling computer further comprises a step of providing an output display for said controlling computer.

Claim 38[original] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 37 wherein said step of providing an output display further includes providing a sound generator for generating a plurality of sounds.

Claim 39 [amended] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 38 wherein said step of providing a sound generator for generating a plurality of sounds further includes the [stp] step of providing a plurality of distinct sounds whereby said controlling computer causes said sound generator to make a particular distinct sound whenever said pattern of reflected data points matches a template of stored data points.

Claim 40 [currently amended] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 39 wherein said step of providing a controlling computer further comprises the step of using said controlling computer to tude and frequency of said sine wave patterns whenever said stored template matches said reflected data points whereby said beam of directed energy is aimed at said particular object.

Claim 41 [currently amended] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of claim [32] 61 wherein said step of emitting a beam of directed energy waves is emitting radio waves of predetermined frequency.

Claim 42 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 41 wherein said step of varying the direction includes varying direction of said radio waves on a vertical plane and varying direction of said radio waves on a horizontal plane.

Claim 43 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 42 wherein said set of data points of reflected laser light if connected form a sine wave.

Claim 44 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 43 which includes a step of providing a controlling computer to control said step of varying the direction so that an amplitude and frequency of said sine wave pattern of reflected data points may be changed thereby permitting adjustment in the resolution of said pattern of reflected data points.

Claim 45 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 44 wherein said step of providing a controlling computer further comprises a step of providing an output display for said controlling computer.

Claim 46 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 45 wherein said step of providing an output display further includes providing a sound generator for generating a plurality of sounds.

claim 47 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 46 wherein said step of providing a sound generator for generating a plurality of sounds further includes the step of providing a plurality of distinct sounds whereby said controlling computer causes said sound generator to make a particular distinct sound whenever said pattern of reflected data points matches a template of stored data points.

Claim 48 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 47 wherein said step of providing a controlling computer further comprises the step of using said controlling computer to vary the amplitude and frequency of said sine wave patterns whenever said stored template of data matches said reflected data. points whereby said beam of directed energy wave is aimed at said particular object.

Claim 49 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 48 wherein said step of emitting a beam of directed energy waves is emitting sound waves.

Claim 50 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 49 wherein said step of varying the direction includes varying direction of said sound waves on a vertical plane and varying direction of said laser light on a horizontal plane.

Claim 51 [original]A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 50 wherein said set of data points of reflected laser light if connected form a sine wave.

Claim 52 [currently amended] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 51 which includes a step of providing a controlling computer to control said step of varying the direction so that an amplitude and frequency of said sine wave pattern of reflected data points [may] can be changed thereby permitting adjustment in the resolution of said pattern of reflected data points.

Claim 53 [original] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 52 wherein said step of providing a controlling computer further comprises a step of providing an output display for said controlling computer.

Claim 54 [original] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 53 wherein said step of providing an output display further includes providing a sound generator for generating a plurality of sounds.

Claim 55 [original] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 54 wherein said step of providing a sound generator for generating a plurality of sounds further includes the step of providing a plurality of distinct sounds whereby said controlling computer causes said sound generator to make a particular distinct sound whenever said pattern of reflected data points matches a template of stored data points.

Claim 56 [original] A method for determining a distance between a device and an object and taking action in response to that determination of a distance of Claim 55 wherein said step of providing a controlling computer further comprises the step of using said controlling computer to vary the amplitude and frequency of said sine wave patterns whenever said stored template of data matches said reflected data points whereby said beam of directed energy wave is aimed at said particular object.

Claim 57 [original]A portable laser ranging and warning device comprising:

- (a) a laser emitter adjustably aimed whereby an aimed pulse of laser light emitted by said emitter may be sequentially directed in a plurality of directions;
- (b) a receiver for receiving reflected laser light from an object, said reflected laser light originally emitted by said laser emitter;
- (c) a computer including a memory, a calculator, a timer, and a controller; said computer operatively connected to said laser emitter and said receiver;
- (d) at least one pattern of stored data points in said computer memory whereby said computer can compare data points generated by said receiver from said reflected laser light and thereby recognize correlations between said pattern of stored data points and said generated data points;
- (e) an output operatively connected to said computer.

Claim 58. [original]A portable laser ranging and warning device of Claim 57 wherein said computer controls said laser emitter to emit sequential pulses of laser lights varying in both horizontal and vertical directions whereby said sequential pulses of laser lights, if connected, form a sine wave.

Claim 59 [amended] A portable laser ranging and warning device of claim 58 wherein said computer may change said aimed pulses of laser light so that said sine wave [may] can be adjusted both for amplitude and frequency of said sine wave patterns whenever said stored template of data matches said reflected data points whereby said beam of directed energy wave is aimed at said particular object.

Claim 60 [new] A ranging and warning device comprising:

- (a) means for emitting a beam of directed energy waves,
- (b) means for receiving said directed energy waves reflected by an object,
- (c) means for calculating the distance between an object and said means for detecting,
- (d) means for recording data generated by said reflected directed energy waves
- (e) means for detecting said object
- (f) means for varying direction of said means for emitting whereby direction of said directed energy waves emitted by said means for emitting may be varied by said means for varying causing said directed energy waves to form a pattern.

Claim 61 [new] A method for determining a distance between a device and an object and taking action in response to that determination of a distance comprising the steps of:

emitting a beam of directed energy waves;
receiving said directed energy waves when reflected by an object;
calculating the distance between an object and the device;
generating data from the reflected directed energy waves;
recording said data;
varying the direction of said emitted beam of directed energy waves;
pulsing the emitted beam of energy waves on and off whereby said reflected directed energy waves is used to generate a set of data points;
storing templates of data generated by reflected pulsed directed energy from a particular object
and comparing said stored templates to data points generated by said reflected directed energy waves,